# MATERIAL SAFETY DATA SHEET

(Rev-I-Jan-2019)

#### Isoamyl Acetate

# Section 1: IDENTIFICATION OF THE SUBSTANCE AND OF COMPANY

| Product Name            | Isoamyl Acetate  |
|-------------------------|--|
| Chemical Name           | 3-methylbutyl acetate  |
| CAS No.                 | 123-92-2   |
| EINECS No.              | 204-662-3  |
| Usage                   | In flavors and fragrances, an ingredient in the manufacturing of mixtures. |
|                         | Not intended for final consumer.   |
| Manufacturer            | Breeze Intermediates Pvt. Ltd.   |
|                         | Z-39, Dahej SEZ, Dahej, Ta. Vagra, Dist. Bharuch (Guj.) India              |
|                         | Tel.: +91 9825107638   |
|                         | Email: info@breezeipl.com, gc@breezeipl.com                                |
| Emergency telephone no. | +91 9825107638, +91 8155088809   |

## Section 2: HAZARDS IDENTIFICATION

| Classification as per    | Not classified as hazardous according to regulation EC 1272/2008.               |
|--------------------------|---|
| EC No. 1272/2008         |   |
| OSHA Hazard              | Product not carcinogenic according to OSHA                                      |
| Label elements including | Signal Word: Warning Pictogram:   |
| precautionary statement  | Hazard statement(s):<br>H226 flammable liquid and vapour                        |
|                          | H412 harmful to aquatic life with long lasting effects.                         |
|                          | Precautionary statement(s):   |
|                          | P210 keep away from heat, hot surfaces, sparks, open flames and other ignition  |
|                          | sources. No smoking   |
|                          | P370+P378 In case of fire, use dry powder or dry sand to extinguish.            |
| Risk Phrases             | R10 – Flammable   |
|                          | R 66 – Repeated exposure may causes skin dryness or cracking                    |
| HMIS Classification      | Health hazard: 1 Flammability: 2 Physical hazards: 0                            |
| Potential Health Effects | Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.     |
|                          | Skin: May be harmful if absorbed through skin. Causes skin irritation.          |
|                          | Eyes: Causes eye irritation. Ingestion: Harmful if swallowed.                   |
| Other Hazards            | The product does not contain substances included in the Substances of Very High |
|                          | Concern list (> 0.1 % w/w).   |

# Section 3: INFORMATON ON INGREDIENTS

| Concentration of the constituent | 95-100% (% wt/wt)   |
|----------------------------------|---|
| Chemical name                    | 3-methylbutyl acetate   |
| Chemical Entity                  | primary aliphatic alcohols/aldehydes/acids/acetals/esters.            |
|                                  | No aromatic or hetero aromatic moiety as a component of ester/acetal. |
| Molecular Formula                | $C_7H_{14}O_2$ (M.W.= 130.18 g/mol)                                   |
| CAS No.                          | 123-92-2  |
| EC/EINECS No.                    | 204-662-3   |



# Section 4: FIRST AID MEASURES

| Consumption       | If swallowed, rinse mouth with water (only if the person is conscious).                 |  |
|-------------------|---|--|
| (Ingestion)       | Seek medical advice immidiately. Do not induce vomiting.                                |  |
| Eye Exposure      | First rinse with plenty of water for several minutes                                    |  |
|                   | (remove contact lenses if easily possible), then take to a doctor.                      |  |
| Inhalation        | If inhaled, remove person to fresh air. If not breathing give artificial respiration.   |  |
|                   | If breathing is difficult, give oxygen.   |  |
| Skin Exposure     | Wash immediately affected area with soap and plenty of water.                           |  |
|                   | Seek medical advice if irritation, pain, swelling, lacrimation or photophobia persists. |  |
| Most important    | Symptoms on inhalation: Choking, drowsiness, respiratory disruptions.                   |  |
| symptoms and      | Symptoms on eye contact: Irritation, reddening.   |  |
| effects, both     | Symptoms on skin contact: Irritation, stinging.   |  |
| acute and delayed | Symptoms on ingestion: queasiness, stomach aches.                                       |  |
| Immediate         | Not applicable.   |  |
| medical attention |   |  |
| special treatment |   |  |
| Others            | Take Risk and Safety Phrases (section 15) into account                                  |  |

# Section 5: FIRE-FIGHTING MEASURES

| Extinguishing               | Water spray, Alcohol-resistant foam, carbon dioxide, dry chemical powder or  |
|-----------------------------|--|
| Media                       | appropriate foam. For safety reasons do not use full water-jet.  |
| Hazards arising             | Not applicable.  |
| from the substance          |  |
| Combustible Liquid          | Keep away from source of heat, flame or spark. Cool endengered drums with water.   |
| Advices for<br>firefighters | <ul> <li>In case of fire on the surrounding, follow the instructions:</li> <li>1-Closed containers may build up pressure at elevated temperatures.</li> <li>2-Avoid inhalation of generated fumes or vapors. Use apropriate respiratory equipment.</li> <li>3-Do not allow the spillage of the fire extinguishing to sink into a drainage system or water area.</li> </ul> |

#### Section 6: ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | Handle the product using protective gloves resistant to the the chemicals<br>exposed. Avoid contact with skin and inhalation of its vapours or smoke.<br>Maintain adequate ventilation in the working area after spilling.  |
|---|---|
| Environmental precautions   | To avoid possible contamination of the environment.<br>Do not discharge into any drains, surface waters or groundwaters   |
| Methods and material for containment and cleaning up                      | Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-<br>lime, sand, soda ash). Place in covered containers using non-sparking tools and<br>transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on<br>gas hot water heater). Ventilate area and wash spill site after material pickup is<br>complete. Dispose of in accordance with current laws and regulations. |
| Reference to other sections   | Refer to section 13 Disposal considerations   |



# Section 7: HANDLING AND STORAGE

| Precautions for safe handling | Keep away from food, drink and animal feeding stuffs. When using do not smoke.<br>Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and<br>safety practice.   |
|-------------------------------|---|
| Condition for<br>Storage      | Should be stored in tightly sealed and preferably full containers in a cool, well-ventilated, dry place, out of direct rays of the sun, Away from areas of high fire hazard, & should be periodically inspected. Incompatible materials should be isolated from each other. |
| Specific end uses             | Not available   |

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| Control parameters | Declaration of substances is not required.   |
|--------------------|--|
| Exposure controls  | Personal protection equipment:       Use personal protection equipment according to         Directive 89/686/EEC.       Eye/Face protection:       Chemical safety goggles are recommended. Wash contaminated         goggles before reuse.       Respiratory Protection:       Use personal breathing apparatus when deemed necessary.         Skin Protection:       Avoid contact with skin. Compatible chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.         Engineering Controls-Ventilation:       The areas where the product is handled and stored |
|                    | <ul> <li><u>Eye/Face protection:</u> Chemical safety goggles are recommended. Wash contaminated goggles before reuse.</li> <li><u>Respiratory Protection:</u> Use personal breathing apparatus when deemed necessary.</li> <li><u>Skin Protection:</u> Avoid contact with skin. Compatible chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.</li> </ul>  |

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance               | Clear Colorless liquid. |
|--------------------------|-------------------------|
| Odor                     | Fresh fruity sweet odor |
| pH value                 | No data available       |
| Boiling point            | 143 °C @ 760 mm Hg.     |
| Flash point (closed cup) | 25 °C.                  |
| Ignition Temperature     | No data available       |
| Auto Inflammability      | 360 °C                  |
| Explosive Property       | Not explosive           |
| Oxidizing Property       | Not oxidizing           |
| Vapour Pressure          | 5.60000 mm/Hg @ 25 °C   |
| Vapour Density           | 4.4 (Air=1)             |
| Solubility in Water      | Insoluble               |
| Specific Gravity         | 0.860 – 0.876 @ 20 °C.  |
| Partition Coefficient    | 2.260 (Octanol/Water)   |

#### Section 10: STABILITY AND REACTIVITY

| Chemical stability      | Stable under normal operational condition.                                    |
|-------------------------|---|
| Reactivity              | Heat, excessive heat, open flames and other sources of ignition.              |
|                         | Strong oxidizing agents, strong reducing agents.                              |
| Incompatibility         | Does not react with water. Avoid contact with strong oxidizing mineral acids, |
|                         | strong reducing agents.   |
| Hazardous decomposition | Hazardous combustion or decomposition products:                               |
| Products                | carbon oxides and other unidentified organic compound.                        |



# Section 11: TOXOLOGICAL INFORMATION

| Acute toxicity                                       | Dermal LD50: Rabbit >5000 mg/kg   |
|--|---|
|  | Oral LD50: Rat >5000 mg/kg  |
| Inhalation Toxicity (LD <sub>50</sub> )              | Prolong inhalation may be harmful   |
| Skin corrosion/irritation                            | Prolong skin contact may cause temporary irritation   |
| Human Experience                                     | 8% solution: No irritation or sensitization   |
| Serious eye damage/eye irritation                    | Direct contact with eyes may cause temporary irritation.  |
| Respiratory or skin sensitization                    | Not a respiratory sensitizer. Not expected to cause skin sensitization.   |
| Germ cell mutagenicity                               | No data available   |
| Carcinogenicity                                      | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.   |
| Reproductive toxicity                                | No data available   |
| Specific target organ toxicity single exposure (GHS) | Inhalation - May cause respiratory irritation.  |
| Specific target organ toxicity                       | Not classified  |
| repeated exposure (GHS)                              |   |
| Aspiration hazard                                    | Not an aspiration hazard  |
| Potential health effects                             | <u>Inhalation</u> : May be harmful if inhaled. Causes respiratory tract irritation.<br><u>Ingestion</u> : Harmful if swallowed.<br><u>Skin</u> : May be harmful if absorbed through skin. Causes skin irritation.<br><u>Eves</u> : Causes eye irritation. |
| Signs and Symptoms of Exposure                       | No data available   |

# Section 12: ECOLOGICAL INFORMATION

| General                       | Prevent contamination of soil, ground and surface waters.              |
|-------------------------------|--|
|                               | Do not discharge product unmonitored into the environment.             |
| Acute aquatic Toxicity        | Denio rerio (Fish) $LC50 = >22 - <46 \text{ mg/L}, 96\text{Hrs}$       |
| Persistence and degradability | No data available  |
| Bioaccumulative potential     | No data available  |
| Mobility in soil              | No data available  |
| PBT and vPvB assessment       | Not determined   |
| Other adverse effects         | Do not allow the material to enter streams, sewers or other waterways. |

# Section 13: DISPOSAL CONSIDERATION

| Product Disposal | Dispose of according all federal, state, and local environmental regulations.       |  |  |
|------------------|---|--|--|
|                  | Contact a licensed professional waste disposal service to dispose of this material. |  |  |
| Packaging        | Don not re-use empty containers. Empty residue into a suitable disposal site.       |  |  |
|                  | Contaminated packaging should be disposed of as unused product.                     |  |  |



# Section 14: TRANSPORT INFORMATION

| International Carriage of Danger | rous Goods by Road (ADR) |  |  |  |
|----------------------------------|--------------------------|--|--|--|
| UN No.                           | 1104                     |  |  |  |
| Proper Shipping Name             | AMYL ACETATES            |  |  |  |
| Packing Group                    | 111                      |  |  |  |
| Class                            | 3                        |  |  |  |
| Tunnel restriction code          |                          |  |  |  |
| Air Transport (ICAO/IATA)        |                          |  |  |  |
| UN No.                           | 1104                     |  |  |  |
| Proper Shipping Name             | AMYL ACETATES            |  |  |  |
| Class                            | 3                        |  |  |  |
| Packing Group                    | 111                      |  |  |  |
| Sea Transport (IMDG)             |                          |  |  |  |
| UN No.                           | 1104                     |  |  |  |
| Proper Shipping Name             | AMYL ACETATES            |  |  |  |
| Class                            | 3                        |  |  |  |
| Packing Group                    | 111                      |  |  |  |
| EmS                              |                          |  |  |  |
| Marine Pollutant                 | No                       |  |  |  |
| DOT (US) Non-Bulk                |                          |  |  |  |
| Not dangerous goods              |                          |  |  |  |
|                                  |                          |  |  |  |

#### Section 15: REGULATORY INFORMATION

| SHE regulations/legislation | Substance(s) is (are) either included in EINECS, ELINCS, NPL inventories or |  |  |  |  |
|-----------------------------|---|--|--|--|--|
| specific for the substance  | exempted  |  |  |  |  |
| Hazard Symbol               | Xi – Irrintant  |  |  |  |  |
| Risk Phrases                | R10 – Flammable   |  |  |  |  |
|                             | R 66 – Repeated exposure may causes skin dryness or cracking                |  |  |  |  |
| Safety Phrases              | S 02 - Keep out of the reach of children.                                   |  |  |  |  |
|                             | S 16 – Keep away from source of ignition, no smoking                        |  |  |  |  |
|                             | S 36/37/39 – wear suitable clothing, gloves and eye/face protection         |  |  |  |  |
| WGK Germany                 | 1   |  |  |  |  |
| Chemical safety             | Not available   |  |  |  |  |
| assessment                  |   |  |  |  |  |

#### Section 16: OTHER INFORMATION

| Hazardous materials identification system                  | Fire: 2 | Health: 1 | Reactivity: 0 |  |  |  |
|--|---------|-----------|---------------|--|--|--|
| This material should be used for industrial purposes only. |         |           |               |  |  |  |

#### **DISCLAIMER**

The information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and **BREEZE INTERMEDIATES Pvt. Ltd.** assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application. This data relates only to the specific material designated and not to be used in combination with any other material.

